



NI-VISION
Premium CCTV Brand



NI-IPC-I5ABC **PREMIUM**



Human Detection



IR Night Vision



Support PoE



Mobile
Monitoring



Multi-Platform
Support



Automatic
Electronic Shutter



Alarm Push
Notification



Support Onvif



Specification

Camera	
Megapixel	5MP
Image Sensor	illumination CMOS sensor
Min. Illumination	Color: 0.01Lux @ (F1.2AGC ON): 0 Lux with IR B/W: 0.001Lux @ (F1.2AGC ON): 0 Lux with IR
Shutter Speed	1/50(1/60)s to 1/10,000s
Lens	2.8mm / 4mm / 6mm / 8mm
Day & Night	Warm Light - Full Color Day & Night
Network	
Storage	Network storage on HDD
PoE	Support
Protocol	TCP/IP, HTTP, DHCP, DNS, DDNS, PPPoE, SMTP, NTP, HTTPS, SIP, 802.1x, IPV6 Option
Security Features	Video Loss, Video Blocking, Power Protection, Password Protection
Compression	
Video Compression	H.265 AI (Compatible H.265/H.264) High Profile, JPEG Snapshot
Bite Rate	0.1 Mbps ~ 8 Mbps
Audio Compression	G.711a
Interface	
Ethernet	1*10/100 Mbps Ethernet port RJ45 Port
Audio Input	Mic
Audio Output	Speaker, External Using Audio Wire, No Inbuilt Output Audio

Image	
Max. Image Resolution	2048 x 1536, 2560 x 1440, 2560 x 1920, 3840 x 2160 4K
Frame Rate	Up-To 25fps
General	
Operating Temperature	-10°C ~ 65°C
Operating Humidity	10%-90% RH
Power Input	DC 12V ± 10%/POE
IR Range	IR Range Up To 25 Mtrs
Housing	ABS High Quality Plastic
Consumption	Up-To 4 Watt
Zoom	Digital Zoom Applicable
Light	Warm Array Flood Light
Mounting	Wall Mount, Ceiling Mount
Features	Human Detection, Motion Detection
Supported Device	Android, IOS via NVR/DVR