



# NI-VISION

Premium CCTV Brand



## NI-IPC-I4ABC ECO



Automatic ICR



IR Night Vision



Support PoE



Mobile  
Monitoring



Multi-Platform  
Support



Automatic  
Electronic Shutter



Alarm Push  
Notification



Support Onvif



## Specification

<b>Camera</b>	
Megapixel	5MP
Image Sensor	illumination CMOS sensor
Min. Illumination	Color: 0.01Lux @ (F1.2AGC ON): 0 Lux with IR B/W: 0.001Lux @ (F1.2AGC ON): 0 Lux with IR
Shutter Speed	1/50(1/60)s to 1/10,000s
Lens	4mm
Day & Night	Warm Light - Full Color Day & Night
<b>Network</b>	
Storage	Network storage on HDD
PoE	Support
Protocol	TCP/IP, HTTP, DHCP, DNS, DDNS, PPPoE, SMTP, NTP, HTTPS, SIP, 802.1x, IPV6 Option
Security Features	Video Loss, Video Blocking, Power Protection, Password Protection
<b>Compression</b>	
Video Compression	H.265 AI (Compatible H.265/H.264) High Profile, JPEG Snapshot
Bite Rate	0.1 Mbps ~ 8 Mbps
Audio Compression	G.711a
<b>Interface</b>	
Ethernet	1*10/100 Mbps Ethernet port RJ45 Port
Audio Input	Mic
Audio Output	Speaker, External Using Audio Wire, No Inbuilt Output Audio

<b>Image</b>	
Max. Image Resolution	2048 x 1536, 2560 x 1440, 2560 x 1920, 3840 x 2160 4K Supported
Frame Rate	Up-To 25fps
<b>General</b>	
Operating Temperature	-10°C ~ 65°C
Operating Humidity	10%-90% RH
Power Input	DC 12V ± 10%/POE
IR Range	IR Range Up To 25 Mtrs
Housing	ABS High Quality Plastic
Consumption	Up-To 4 Watt
Zoom	Digital Zoom Applicable
Light	Warm Array Flood Light
Mounting	Wall Mount, Ceiling Mount
Features	Human Detection, Motion Detection
Supported Device	Android, IOS via NVR/DVR